2/12/07

WEST Search History

Hide Items Restore Clear Cancel

DATE: Monday, February 12, 2007

Hide?	<u>Set</u> Name	Query	<u>Hit</u> Count
	DB=0	JSPT; PLUR=YES; OP=OR	
	L57	validat\$ same (Component adj Object adj Model)	17
	L56	validat\$ same (form\$1 near2 (input\$ or enter\$)) same Java\$	7
	L55	L36 and (COM or (Component adj Object adj Model))	54
		PGPB,USPT; PLUR=YES; OP=OR	
	L54	L36 and (COM or (Component adj Object adj Model))	54
	L53	L36 and (COM or (Component adj Object adj Model)).ti.	0
	L52	L51 and validat\$	32
	L51	L50 and L48	32
	L50	L47 and (form\$1 near2 (input\$ or enter\$)) or ((user adj interface) or GU)	193254
	L49	L48 and ((user adj interface) or GU)	31
	L48	L46 and ((COM or (Component adj Object adj Model))with validat\$)	51
	L47	L46 and ((COM or (Component adj Object adj Model))same validat\$)	121
	L46	L45 and (COM or (Component adj Object adj Model))	5731
	L45	(validat\$ with (form\$1 near2 (input\$ or enter\$)) Java\$)	57483
	L44	(validat\$ wiht (form\$ near2 (input\$ or enter\$)) Java\$)	218522
	L43	(validat\$ same (form\$ near2 (input\$ or enter\$)) Java\$)	57816
	DB=0	JSPT; PLUR=YES; OP=OR	•
	L42	'6356903'.pn.	1
	L41	L40 and (validat\$ same (text near2 (input\$ or enter\$)))	5
	L40	L39 and (COM or (Component adj Object adj Model))	103
	L39	((user adj interface) or GU) and validat\$ and (text near2 input\$) and ((Java adj (script\$1 or applet\$1)) or COM)	134
	L38	L36 and validat\$	54
	L37	L36 and validat\$.ti.	0
	L36	L35 and (COM or (Component adj Object adj Model))	54
	L35	L34 and (text near2 (input\$ or enter\$)) same (HTML or form\$1)	68
	L34	L33 and L23	134 -
	L33	(text near2 input\$)and((Java adj (script\$1 or applet\$1)) or COM) and (GU or (user adj interface))	379
	L32	6,073,163.pn.	1
	L31	L30 and (validat\$ same input\$ same HTML)	3.
	L30	L23 and (COM or (Component adj Object adj Model))	103
	L29	L28 and validat\$	8
	L28	L27 and ((user adj interface) or GU)	28
	L27	L26 or L25	63
		(5,848,397 5,845,255 5,841,970 5,832,488 5,827,180 5,809,476 5,815,665 5790785 5772585 5,664.207 5,664,109	
			0/10/0=

http://jupiter2:9000/bin/cgi-bin/srchhist.pl?state=2jc46g.140.1&f=toc1&userid=mnguyen7

L9 L6 and (Java adj (script\$1 or applet\$1)) or (Component adj Object adj Model)

L8 (text near2 input\$)same((Java adj (script\$1 or applet\$1)) or COM) same (GU or (user adj interface))

L7 L6 and (text near2 input\$)same((Java adj (script\$1 or applet\$1)) or COM) same (GU or (user adj interface))

1

L6 L5 and ((Java adj (script\$1 or applet\$1)) or COM)

L5 L4 and (validat\$ same html)

L4 ((user adj interface) or GU) and validat\$ and (text near2 input\$) and ((Java adj (script\$1 or applet\$1)) or COM)

L3 ((user adj interface) or GU) and validat\$ and (text near2 input\$) and ((Java adj (script\$1 or applet\$1)) or COM)

DB=USPT; PLUR=YES; OP=OR

L2 maikhanh near nguyen

L1 6728879.pn.

END OF SEARCH HISTORY

113

113

426

426

47

1

□ AbstractPlus

◆ View Search Results | Next Article →

BROWSE

SEARCH

IEEE XPLORE GUIDE

Home | Login | Logout | Access Information | Alerts | Sitemap | Hel

SUPPORT



Access this document

Full Text: PDF (56 KB)

Download this citation

Choose Citation & Abstract

Download ASCII Text

» Learn More

Rights and Permissions

» Learn More

System design validation using formal models

Welcome United States Patent and Trademark Office

Henderson, P. Walters, R.

Dept. of Electron. & Comput. Sci., Southampton Univ., UK;

This paper appears in: Rapid System Prototyping, 1999. IEEE International Workshop on

Publication Date: 16-18 June 1999

On page(s): 10 - 14 Number of Pages: x+243

Meeting Date: 06/16/1999 - 06/18/1999

Location: Clearwater, FL

INSPEC Accession Number:6325334

Digital Object Identifier: 10.1109/IWRSP.1999.779024

Posted online: 2002-08-06 22:34:12.0

Abstract

Formal methods are a nice idea, but the size and complexity of real systems means that they are impractical We propose that a reasonable alternative to attempting to specify and verify the system in its entirety is to bu and evaluate an abstract model(s) of aspects of the system that are perceived as important. Using a model v not provide proof of the system, but it can help to find shortcomings and errors at an early stage. Executing ti model should also give a measure of confidence in the final product. Many systems today are built from communicating components so that the task of the developers is becoming fitting these components togethe to form the required system. We show how a formal model can be sympathetic to this type of architecture us our tool, RolEnact and explain how this may be related to a COM implementation

Index Terms

Inspec

Controlled Indexing

computational complexity formal specification systems analysis

Non-controlled Indexing

COM implementation RolEnact abstract model formal models real systems complexity system design validation

Author Keywords

Not Available

References

No references available on IEEE Xplore.

Citing Documents

No citing documents available on IEEE Xplore.

◆ View Search Results | Next Article ▶

Indexed by #Inspec Contact Us Privacy & Security IEEE.c © Copyright 2006 IEEE - All Rights Resen